

RICE Spur

Special for Rice



seed



foliar

Composition

%w/w

Total aminoacids	17,0
N-Acetyl Thiazolidine-4 Carboxylic	1,0
Iron (Fe) chelated EDTA	0,2
Manganese (Mn) chelated EDTA	0,4
Copper (Cu) chelated EDTA	0,2
Zinc (Zn) chelated EDTA	0,07
Boron (B)	0,1
Density : 1,20 g/ml	
pH: 7,0 +_0,5	



Characteristics

RICE SPUR is a new natural organic food for crops.

RICE SPUR activates the biochemical functions in the plant, improving the metabolic process. It contains a naturally balanced mixture of Amino Acids available for proteins synthesis without energy uptake, saving biological energy.

Furthermore **RICE SPUR** contains natural bio promoters N-Acetyl Thiazolidine-4 Carboxylic Acid (ATCA) which through a slow enzymatic breakdown leads to the formation of proline which has a fundamental role to prevent the negative effects due to environmental stress (excessive heat, drought, poor fertilization, excessive rain fall etc...).

Cysteine whose anti-oxidant activity stimulate the regeneration of the enzymes, the catalytic agents for the proteins synthesis, lowering the cells senescence, and a mix of micronutrients: Boron favors pollen germination,

fruit set and the growing of tissues. Iron and Manganese plays a fundamental role in chlorophyll synthesis and also in catalytic reactions. Zinc promotes the production of auxins, favors fruit enlargement, the transport of phosphates, formation of seeds and their ripening.

BENEFITS

- Improves photosynthesis, respiration, synthesis of carbohydrates, nucleic acids, lipids, etc...
- Promote seed germination, blooming, seed enlargement.
- Faster and improved development of the root's system.
- Accelerated plant growth.

Application

CROPS	SPRAY APPL	N° APPL	APPL. AND INTERVAL
Rice seeds	-	-	Before sowing leave the seeds for 24h in solution with 2cc for 1L water
Dry rice	600 - 800 ml/Ha	2	First application 45 days after sowing repeat 70 days after sowing
Flooded Rice	500 - 700 ml/Ha	2	At germination stage repeat 10 days before tillering stage

RICE SPUR is compatible with most products used in agriculture unless strongly alkaline. RICE SPUR must be applied in the cooler daytime period.



IMPORTED
FROM EU



sonar
agro