



Aminoacids



COMPOSITION

% w/v

Free Amino Acids	27,72
Total Nitrogen (N)	2,52
Organic Carbon	15,12
Total Organic matter	26,46
O.E.S. (Organic Elicitor System)	3,78
Density: 1,26	pH: 6-7




Product suitable for use in Ecological Agriculture in accordance with Regulations (EU) No. 2018/848 and 2021/1165. Control ECOCERT SA F - 32600



Characteristics

SPUR is a natural bioactivator based on Amino acids obtained through enzymatic processes, making **SPUR** more efficient than chemical process based products. It is recommended for all crops and all times, especially when the plants need more nutrients such as in pre-blooming, setting, the swelling of the fruit, vegetative growth, for saline or climatic conditions etc. Sonneagro has developed a group of molecules that we call I.S.I. capable of acting as **DISEASE RESISTANCE ACTIVATORS**.



100% BIOACTIVE AMINOACIDS

COMPLETELY ASSIMILABLE AND AVAILABLE

VERY QUICK UPTAKE AND INCORPORATION INTO PLANT METABOLISM

STIMULATE PROTEIN SYNTHESIS AND ENERGY SAVING

THE BEST OPTION AGAINST DIFFERENT SITUATIONS OF PLANT STRESS (FREEZE, DROUGHT, FAST GROWTH, NUTRITIONAL DEFICIENCIES...)

SPUR increases:

Yield

Nutrients uptake

Root system

The seed germination

Immunological system action of the crops

Application

Soil Dosage	Lts/ha
STRAWBERRIES	Every 10 days after transplanting
FRUIT TREES	From budding until the swelling of the fruit
BANANA PLANTS	Every 15 days between March and June
OLIVE TREES	Throughout the whole cycle
TABLE GRAPES	From budding until the end of the cycle
DRY FRUITS	From budding until the swelling of the fruit
CITRUS FRUIT	From flowering until the swelling of the fruit
COTTON	10 days after shooting until 20 days after the 6 flowering
ORNAMENTAL PLANTS	Every 15 days after transplanting

Foliar Dosage	cc/100L
HORTICULTURAL CROPS	Every 10 days after transplanting
STRAWBERRIES	Throughout the whole cycle
TUBERS	Every 15 days
FRUIT TREES	From budding until the swelling of the fruit
BANANA PLANTS	Every 15 days
OLIVE TREES	Throughout the whole cycle
TABLE GRAPES	From budding until the end of the cycle
WINE GRAPES	From budding until the end of the cycle
DRY FRUITS	From budding until the swelling of the fruit
CITRUS FRUITS	From flowering until the swelling of the fruit
BEET	2 applications every 15 days
COTTON	10 days after sprouting until 20 days after the first flower
ALFALFA	After every mowing
ORNAMENTAL PLANTS	Every 15 days after transplanting
LAWN	After sowing/Growth phase



IMPORTED
FROM EU

